

SFOL185L-10

DATA SHEET

FOL L Line



FOL L Line · Foldable Motorized Monitors

Foldable Motorized Monitors for boardroom and meeting room tables.

70° tilt adjustment that can be set according to user preferences.



SFOL185L-10

SOLTEC

TECHNICAL SPECIFICATIONS

FOLDABLE MOTORIZED MONITOR

FOL L Line

GENERAL DESCRIPTION

Foldable Motorized Monitor for boardroom and meeting room tables. 70° **tilt adjustment** that can be set according to user preference. High-end painted steel monitor housing.

DVI-D input.


RS-232 serial control through DB9 connector.

RS-485/422 serial control through RJ45 connector in loop and addressing.


Touch Screen



USB



Microphone



Channel Selector



Full HD Panel



Voting System



Full range of options available.



DISPLAY

Panel Technology	Edge LED Technology
Display Area (mm)	408.96(H) x 230.04(V)
Size	18.5"
Pixel Pitch (mm)	0.213 x 0.213
Screen Aspect	16:9
Native Resolution	1920 x 1080
Viewing Angle UDLR	89°/89°/89°/89°
Contrast Ratio	1000:1 (Typ)
Brightness cd/m2	500 (Typ)
Colors	16.7M Colors
Response Time	20ms Ton + Toff
Life Time (hours)	50.000
Protective Glass	3mm with black bord

CONNECTIVITY

Digital Input	1xDVI-D
RS-232 Control	1xDB9
RS-485/422 Control	2xRJ45 (With Loop)

CONTROL

Remote Control	1xRS232, 1xRS485/422
Manual Control	1 Pushbuttons (Up/Down) 2 Pushbuttons (Tilt adjustment)

ELECTRICAL

Power Adaptor	90 ~ 264VAC to 12VDC 47 ~ 63Hz
Power Consumption	30W
Energy Management	VESA DPMS

MECHANICAL (SFOL185L-10)

Screen (mm)	476.5 x 304
On-table Cover Plate (mm)	554.1 x 378.05
Under-table Housing (mm)	303.5 x 554 x 100.76
NET Weight (Kg)	TBD
Packaging dimensions (mm)	TBD
Gross Weight (Kg)	TBD

ENVIRONMENTAL CONDITIONS

Operation Temperature	0° to 70°
Storage Temperature	-20° to 70°
Operation Humidity (%)	5 to 95
Storage Humidity (%)	5 to 95

OTHERS

Certifications	CE; RoHS, BIS, EAC, CB IEC EE
Plug & Play	VESA DDC2Bi
Accessories	Mains Power Cord User Manual

Specifications subject to change without prior notice

SFOL185L-10

SOLTEC
GENERAL DIMENSIONS

FOLDABLE MOTORIZED MONITOR

FOL L Line

CONSULTANTS & ARCHITECTS

Technical product description

Elegant and high-end 18.5" Foldable Motorized Monitors for boardroom tables made of painted steel housing. Protective glass with black border serigraphy. With a silent, high-speed lift system and tilt adjustment.

With just a 10cm box under the table, this product is perfect for those installations with limited space.

Monitors can be remotely controlled by serial RS-485 or RS-232 port.

