


NFC Reader

NFC reader for 7" and 10.1" panels

Product code: **CS0618**



Main features

- Extension for touchONE and touchCUE panels
- Integrated antenna
- Frequency 13.56 MHz
- Norm ISO 14443A compatible
- touchONE-admin required for touchONE panels
- CVC programming support for touchCUE panels
- Slim plastic enclosure
- Simple installation

Description

The NFC Module is an expansion accessory for touchONE and touchCUE panels. It enables the use of NFC technology in the touchONE reservation system as well as in the CUE control system. This module is not compatible with built-in touch panels. To set up NFC functions in the touchONE reservation system, it is necessary to use the touchONE-admin management system. Ask for software availability. Functions for using NFC in the control system are available as part of the Cue Visual Composer programming tool.

Specifications

Compatibility

- Frequency 13.56 MHz
- Norm ISO 14443A

Extension for

- touchCUE-7-M, touchONE-7-M
- touchCUE-10-M, touchONE-10-M

Physical

- Plastic enclosure
- Protection IP20
- Dimensions 84 x 16 x 6 mm / 3.3" x 0.6" x 0.2" when installed
- Weight 20 g / 0.04 lb

Environment conditions

- Operating temperature 10° to 40° C
- Storage temperature 0° to 60° C
- Relative humidity 10% to 90% non-condensing


Compatibility



Please check the compatibility to see if the module is compatible with the revision of your panel. If not, use NFC Module.

Control & Reservation panels	Product code	Revision	NFC Reader compatibility
touchCUE-7-M	CS0539	9 only	-
touchCUE-7-M	CS0539	22 and higher	✓
touchCUE-10-M	CS0561	1 only	-
touchCUE-10-M	CS0561	22 and higher	✓
touchCUE-12-M	CS0540	old revisions	-
touchCUE-12-M	CS0540	22 and higher	✓
touchONE-7-M	CS0528	9 only	-
touchONE-7-M	CS0528	22 and higher	✓
touchONE-10-M	CS0563	1 only	-
touchONE-10-M	CS0563	22 and higher	✓
touchONE-12-M	CS0529	old revisions	-
touchONE-12-M	CS0529	22 and higher	✓

Mechanical description



Panels with NFC Reader installed



Box contents

- NFC Reader
- 2x installation screw M2x8

Order information

Product code CS0618

Documentation

More information can be found in CUE Documentation:

- NFC Reader Quick Start