

18 RU ERK Series Rack, 25 Inches Deep **SKU: ERK-1825**



An economical standalone rack with solid sides, the ERK Series can also be ganged to create partitioned multi-bay installations for thermal management control, and security. It is seismically certified to protect your components when installed with ERK-Z4 brackets.

- 18RU and 25" Deep
- Fully welded construction for strength
- Rack sides include top and bottom venting
- Convenient lacing points and slotted rackrail brackets for cable management
- Standard front adjustable 10-32 threaded rackrail with numbered spaces
- Includes key-locked standard rear door
- UL Listed in the US and Canada with a 2,500lbs. (1,100kg) weight capacity

Specifications

Dimensions &
Measurements

Depth	63.5 cm (25 in)
Height	90.5 cm (35.6 in)
Panel Width	48.26 cm (19 in)
Product Weight	29.08 kg (64.1 lbs)
Rack Units	18 RU
Shipping Weight	43.54 kg (96 lbs)
UL Load Capacity	1133.98 kg (2,500 lbs)
Usable Depth	59.61 cm (23.5 in)
Usable Height	80.34 cm (31.6 in)
Width	55.88 cm (22 in)

Characteristics & Features

Color	Black
Federal Ops Country of Origin	USA
Finish	Black Wrinkle Powder Coat
Material	Steel
Product Configuration	Frame Only
Rack Rail Type	10-32
Rear Door	Yes
Seismic Rated	Yes
Ships Flat	No
TAA Compliant	Yes
UPC	656747006166

Certifications & Warranties

Certifications

- ASCE
- TAA
- UL Listed

Seismic Load Capacity

268.07 kg (591 lbs)

Source: https://www.legrandav.com/products/racks/floor_standing/erk_av Rack/erk-1825