

SMUP320F-10

DATA SHEET

MUP F Line



MUP F Line • Digital Signage

Elegant Digital Multimedia Totem line with a housing made of painted steel (two colours) with extended sides.



SMUP320F-10

SOLTEC

TECHNICAL SPECIFICATIONS

DIGITAL SIGNAGE

MUP F Line

GENERAL DESCRIPTION

Elegant Digital Multimedia Totem with 32" Professional TFT panel Built-in. Housing made of painted steel (two colours) with extended sides from our MUP-F Line. Designed to be fixed to the floor internally with no visible screws. It can be painted at any RAL Colour. Available with a full range of options detailed in the next page.

Full range of options available.



DISPLAY

Panel Technology	S-PVA Edge LED
Display Area (mm)	698.4(H) x 392.8(V)
Size	31.5"
Pixel Pitch (mm)	0.3637 x 0.3637
Screen Aspect	16:9
Native Resolution	1920 x 1080
Viewing Angle UDLR	89°/89°/89°/89°
Contrast Ratio	4000:1 (Typ)
Brightness cd/m2	500 (Typ)
Colors	16.7M Colors
Response Time	8ms Ton +Toff
Life Time (hours)	50.000

CONNECTIVITY

Analogue RGB Input	1xDB15
Digital Input	1xDVI-D
	1xDP
Auto Detection	Yes
No Signal Detected	Standby Mode
Identification	DDC2Bi EDiD v1.3

ELECTRICAL

Power Supply Input	110/120VAC 50-60Hz
Power consumption for the standad reference	95W
Energy Management	VESA DPMS

MECHANICAL (SMUP320F-10)

Net (mm)	1900x610x125
Base (Optional)	750x300
Packing (WxHxD)	2000x700x400
Net Weight (Kg)	80

ENVIRONMENTAL CONDITIONS

Operation Temperature	0° to 50°
Storage Temperature	-20° to 60°
Operation Humidity (%)	10 to 90
Storage Humidity (%)	10 to 90

OTHERS

Certifications	CE; RoHS
Plug & Play	VESA DDC2Bi
Accessories	Mains Power Cord
	User Manual

ORDERING INFORMATION

SMUP320F-10	Standard 32.0" MUP-F Line
SMUP320F-18	32.0" MUP-F Line with built-in PC
	Intel J4125 Quadcore CPU
	RAM 4GB DDR3/120GB SSD
	Intel HD Graphics Chipset
SMUP320F-15	32.0" MUP-F Line with built-in DMP
	Digital Media Player

Specifications subject to change without prior notice

SMUP320F-10

STANDARD AVAILABLE OPTIONS

DIGITAL SIGNAGE

MUP F Line

32.0" Professional Digital Multimedia Totem

4K Panel



Built-in PC



High Brightness



Touch Screen



Protective glass



Housing Customization



Speakers



ORDERING INFORMATION OPTIONS

I3 - CPU

Intel i3 CPU upgrade

I5 - CPU

Intel i5 CPU upgrade

I7 - CPU

Intel i7 CPU upgrade

8RAM

8GB RAM DDR3 upgrade

16RAM

16GB RAM DDR3 upgrade

32RAM

32GB RAM DDR3 upgrade

PCT320DP

32.0" Projected Capacitive Touch Screen (Outdoor)

PCT320IN

32.0" Projected Capacitive Touch Screen

IR-320-X

32.0" Infrared Technology (X=2/6/12/32) simultaneous touches

320HB

2500cd/m² High Brightness TFT with High Tni 110° option

G320L

32.0" 6mm Laminated Protective Glass

G320AG

32.0" 6mm Anti-Glare Laminated Protective Glass

RALxxxx

Customized RAL Color

CUSTOM

Customized housing as per customer requirements

Specifications subject to change without prior notice

SMUP320F-10

SOLTEC
GENERAL DIMENSIONS


DIGITAL SIGNAGE

MUP F Line

CONSULTANTS & ARCHITECTS

Technical product description

Digital Multimedia Totems with with 32" Professional TFT Monitor Built-in. Full HD 1.920x1.080 native resolution, contrast ratio 3000:1, brightness 450cd/m², perfect viewing angle 178°/178°. Housing made of painted steel (two colours) with extended sides with internal holes to allow fix the totem from inside, so no visible screws. Designed to allocate a full range of options like front protective glass, touch screen, built-in PC, Digital Media Player...



Illustrated standard model

