

SMUP460M-10

DATA SHEET

MUP M Line



MUP M Line · Digital Signage

Our most exclusive Digital Multimedia Totem line with a housing made of painted steel with rounded sides.



SMUP460M-10

SOLTEC TECHNICAL SPECIFICATIONS

DIGITAL SIGNAGE

MUP M Line

GENERAL DESCRIPTION

Digital Multimedia Totem with 46" Professional TFT panel Built-in. Housing made of painted steel with rounded sides from our MUP-M Line. Designed to be fixed to the floor internally with no visible screws. It can be painted at any RAL Colour. Available with a full range of options detailed in the next page.

Full range of options available.



DISPLAY

Panel Technology	S-PVA Edge LED
Display Area (mm)	1018.08 (H) x 572.67 (V)
Size	46"
Pixel Pitch (mm)	0.53025 x 0.53025
Screen Aspect	16:9
Native Resolution	1920 x 1080
Viewing Angle UDLR	89°/89°/89°/89°
Contrast Ratio	4000:1 (Typ)
Brightness cd/m2	500 (Typ)
Colors	1073.7 M Colors
Response Time	6.5ms Ton + Toff
Life Time (hours)	50.000

CONNECTIVITY

Analogue RGB Input	1xDB15
Digital Input	1xDVI-D 1xDP
Auto Detection	Yes
No Signal Detected	Standby Mode
Identification	DDC2Bi EDiD v1.3

ELECTRICAL

Power Supply Input	110/120VAC 50-60Hz
Power consumption for the standad reference	95W
Energy Management	VESA DPMS

MECHANICAL (SMUP460M-10)

Net (mm)	1975x805x125
Base (Optional)	950x300
Packing (WxHxD)	2170x1050x480
Net Weight (Kg)	90

ENVIRONMENTAL CONDITIONS

Operation Temperature	0° to 40°
Storage Temperature	-20° to 60°
Operation Humidity (%)	10 to 90
Storage Humidity (%)	10 to 90

OTHERS

Certifications	CE; RoHS
Plug & Play	VESA DDC2Bi
Accessories	Mains Power Cord User Manual

ORDERING INFORMATION

SMUP460M-10	Standard 46.0" MUP-M Line
SMUP460M-18	46.0" MUP-M Line with built-in PC Intel J4125 Quardcore CPU RAM 4GB DDR3/120GB SSD Intel HD Graphics Chipset
SMUP460M-15	46.0" MUP-M Line with built-in DMP Digital Media Player

Specifications subject to change without prior notice

SMUP460M-10

SOLTEC

STANDARD AVAILABLE OPTIONS

DIGITAL SIGNAGE

MUP M Line

46.0" Professional Digital Multimedia Totem

4K Panel



Touch Screen




Protective glass



Built-in PC



Built-in DMP



Speakers



ORDERING INFORMATION OPTIONS

PC-J3455

Built-in Industrial PC with Intel Quadcore J3455, RAM 4GB DDR3/120GB

I3 - CPU

SSD, Intel HD Graphics Chipset

I5 - CPU

Intel i3 CPU upgrade

I7 - CPU

Intel i5 CPU upgrade

Intel i7 CPU upgrade

8RAM

8GB RAM DDR3 upgrade

16RAM

16GB RAM DDR3 upgrade

32RAM

32GB RAM DDR3 upgrade

PCT460IN

46.0" Projected Capacitive Touch Screen

IR-460-X

46.0" Infrared Technology (X=2/6/12/32) simultaneous touches

DMP-HD224

Built-in FullHD Digital Media Player

DMP-XD234

Built-in 4K Digital Media Player

G460L

46.0" 6mm Laminated Protective Glass

G460LS

46.0" 6mm Laminated Protective Glass with black border serigraphy

G460AG

46.0" 6mm Anti-Glare Laminated Protective Glass

EXP-F

Expanded base with rubber feet

EXP-W

Expanded base with wheels

AMP-2W

Audio Amplifier + 2x 2W Speakers

RALxxxx

Customized RAL Color

CUSTOM

Customized housing as per customer requirements



Specifications subject to change without prior notice

SMUP460M-10

SOLTEC
GENERAL DIMENSIONS


DIGITAL SIGNAGE

MUP M Line

CONSULTANTS & ARCHITECTS

Technical product description

Digital Multimedia Totems with with 46" Professional TFT Monitor Built-in. Full HD 1.920x1.080 native resolution, contrast ratio 4000:1, brightness 500cd/m², perfect viewing angle 178°/178°. Painted steel housing with rounded sides with internal holes to allow fix the totem from inside, so no visible screws. Designed to allocate a full range of options like front protective glass, touch screen, built-in PC, Digital Media Player...



Illustrated standard model

