


ZINIA320ARM13

DATA SHEET

ZINIA ARM Line



ZINIA ARM Line • Ultra-wide TFT Monitor

Ultra-wide Professional TFT Monitor design to be installed with any standard VESA bracket



ZINIA320ARM13

SOLTEC TECHNICAL SPECIFICATIONS

ULTRA-WIDE TFT MONITOR


ZINIA ARM Line

GENERAL DESCRIPTION

Ultra-wide Professional TFT Monitor designed to be installed with any standard VESA bracket. Available as a basic monitor, with a built-in PC and with a built-in digital media player.

High Brightness

Protective glass



PC Integrated

Full HD Panel



Full range of options available.



DISPLAY

Panel Technology	Edge LED Technology
Display Area (mm)	698 (H) x 131 (V)
Size	1/3 of 32"
Screen Aspect	16:3
Native Resolution	1920 x 360
Viewing Angle UDLR	178°/178°
Contrast Ratio	1200:1 (Typ)
Brightness cd/m2	300 (Typ)
Colors	16.7 M Colors
Life Time (hours)	50.000

CONNECTIVITY

VGA Input	1xDB15
Digital Input	1xDVI
Plug & Play	VESA DDC2Bi
Auto Detection	Yes
No Signal Detected	Standby Mode
Identification	DDC2Bi EDiD v1.3

ELECTRICAL

Power Supply Input	110/220VAC 50-60Hz
LCD Consumption	32W
Energy Management	VESA DPMS

MECHANICAL (ZINIA320ARM13)

VESA Mount	200x100
Net (WxHxD)	785x180x75
Net Weight	9
Packing	935x280x175

ENVIRONMENTAL CONDITIONS

Operation Temperature	0° to 50°
Storage Temperature	-20° to 60°
Operation Humidity (%)	10 to 90
Storage Humidity (%)	10 to 90

OTHERS

Certifications	CE; RoHS
Accessories	Mains Power Cord User Manual

OPTIONS

Industrial Computer	Intel QuadCore J4125 4GB RAM 120SSD
Digital Media Player	Full HD Built-in Player
Protective Glass	6mm Laminated glass

Specifications subject to change without prior notice

