

ZINIA420OPF12

DATA SHEET

ZINIA OPF Line



ZINIA OPF Line · Ultra-wide TFT Monitor

Ultra-wide Open Frame TFT Monitor design with lateral front brackets on each side for easy integration.



ZINIA420OPF12

ULTRA-WIDE TFT MONITOR

ZINIA OPF Line

GENERAL DESCRIPTION

Ultra-wide Open Frame TFT Monitor designed with lateral front brackets on each side for easy integration. Available as a basic monitor, with a built-in PC and with a built-in digital media player.

High Brightness

Protective glass

PC Integrated

Full HD Panel

Full range of options available.



DISPLAY

Panel Technology	Edge LED Technology
Display Area (mm)	904 (H) x 254(V)
Size	1/2 of 42"
Screen Aspect	16:4.5
Native Resolution	1920 x 540
Viewing Angle UDLR	178°/178°
Contrast Ratio	1200:1 (Typ)
Brightness cd/m2	300 (Typ)
Colors	16.7 M Colors
Life Time (hours)	50.000

CONNECTIVITY

VGA Input	1xDB15
Digital Input	1xDVI
Plug & Play	VESA DDC2Bi
Auto Detection	Yes
No Signal Detected Identification	Standby Mode DDC2Bi EDiD v1.3

ELECTRICAL

Power Supply Input	110/220VAC 50~60Hz
LCD Consumption	43W
Energy Management	VESA DPMS

MECHANICAL (ZINIA420OPF12)

With lateral brackets	1070x360x100
Without lateral brackets	1030x360x100
Between holes	290x1050
Net Weight	12
Packing (WxHxD)	1110x423x200

ENVIRONMENTAL CONDITIONS

Operation Temperature	0° to 45°
Storage Temperature	-20° to 60°
Operation Humidity (%)	10 to 90
Storage Humidity (%)	10 to 90

OTHERS

Certifications	CE; RoHS
Accessories	Mains Power Cord User Manual

OPTIONS

Industrial Computer	Intel QuadCore J4125 4GBB RAM 120 GB SSD
Digital Media Player	Full HD Built-in Player
Protective Glass	6mm Tempered glass

