

CORIOmaster. Flexible, Simple, Secure.

We've been engineering the very best video scaling technology for over 30 years. Delivering totally flexible, high quality and low latency performance is part of our DNA. We've continually developed our patented. CORIO® scaling engine to keep you ahead of all your AV challenges. By developing our own architecture, it is simple to upgrade any device to the latest format types and connections as they become available.



Add visual appeal with 360° rotation for video windows and displays.



Extremely low latency of typically 1 frame for vidéo and better than 300ms for IP in low latency mode.



Enjoy endless creativity and eye-catching visuals with multi-screen synchronized media



Intuitive and versatile design software for powerful and creative control.



Create visual interest and add essential information with real-time. keyed overlays.



You can manage up to four independent video wall canvases from a single unit.



Keep your information safe with HTTPS SSL connectivity and AES IP decodes.



Effortless multi-user control using our app or real-time RESTful API.



Streamline your workflows and monitor system health & security using our advanced edback logic.





Dallas Cowbous, USA



ENDLESS POSSIBILITIES


Three Chassis




Powerful stand-alone video wall processor for expansive 1080p installations which can also display up to 5 4K video sources and up to 56 outputs.









up to four outputs with 1080p environments with some 4K connectivity.

Thirteen Modules



Dual 4K HDMI Input

• Allows resolutions up to 4096 x 2160/60p



Dual 4K HDBaseT Input

- Supports resolutions up to 4096 x 2160/60p
- 500ft reach with HD-One DX500



Dual 3G-SDI Broadcast Input

• Supports resolutions up to 1920 x



4K HDMI Scaled Input

Supports all resolutions up to 3840 x



Dual DVI-Scaled Output

• Supports resolutions up to 1920 x 1200/60



• Supports resolutions up to 1920x1080/60p



Dual Keying Scaled Output

- Luma keying up to 1920x1080/60p
- Compatible with all input modules
- No additional latency added with keying



Dual 4K Streaming Media Input

- Dual, low latency, H.264 and H.265 network streaming
- Dual 4K playback of clips and stills











Dual HDBaseT Scaled Output

- Supports resolutions up to 1920x1200/60p
- 328ft reach with Magenta Receiver

S/PDIF and Analog Audio

- Embed and de-embed audio from S/PDIF or analog
- · Cross convert digital and analog audio

Support legacy equipment with adapters



HDMI













Custom Control









Wall Mount Control Panel



Analog PC



CORIOgrapher





Control

Adobe's global HQ

Get creative and improve

efficiencies with source keying

Stay private, secure and safe with

AES encrypted IP stream delivery

Doing LED Right! Pixel perfect set

The CORIOmaster difference

Create the ultimate video experience with CORIOmaster, the world's most advanced & flexible family of video processors, allowing any signal in to any signal out in glorious, eye-popping 4K quality.

Manage up to four video walls from

Mix low latency AV, IP & Broadcast

Deploy expansive video belts with

synchronized media clip playback

sources in a single chassis.


a single chassis.


NEW FEATURES

Synchronized Playback



The Dual 4K Streaming and Media input module can now simultaneously play up to eight reliable, synchronized media clips onto ultra-wide video canvasses. This allows you to get creative and go beyond 4K resolutions to boost revenues, entertain and multipurpose your installations. Additionally, use our FTP integration tools to improve workflow efficiencies.







Improve efficiency, overlay real-time data feeds, and boost safety with keyed icons, data and other information over your source or across entire video walls. Prevent your video wall from becoming invisible and enhance the viewer experience.

You can trust your reputation with CORIOmaster. It's proven reliability is delivered through a mix of high-quality design, modularity and hand built manufacturing with a 100% test regime. In our stringent, in house, tests we see over 50,000 hours MTBF in even the harshest environmental conditions. This is why we are chosen by military, healthcare and higher education users globally.



Applications

Broadcast

independent video walls from

Low latency performance

broadcast, AV and IP feeds with a built-in media player

Deploy expansive video belts

with synchronized media clip

Secure, encrypted control with simultaneous multi-user access and monitoring

Seamlessly combine

Manage up to four

a single chassis


guaranteed

playback

- Manage up to four video walls from a
- Mix low latency, AV, IP and broadcast sources in a single chassis
- Use keying for real-time data overlays or medical route guidance
- encrypted IP stream delivery

Healthcare





- Secure control with simultaneous multi-
- Stay private, secure and safe with AES

Command & Control

- Multi-zone capability for control, video and audio
- Secure control with simultaneous multi-user access
- Wide range of video formats supported for mission critical operations
- Protect your streams with AES encryption
- Mix low latency AV, IP and broadcast in a single chassis

Laszlo Pandur Broadcast IT Specialist of AMC International Networks









- Secure control with simultaneous multiuser access
- Experience complete design freedom to create a 'one of a kind' video wall.
- Make it sing with embedded audio or external break out
- Mix low latency AV, IP and broadcast sources in a single chassis
- Manage four video walls from a single

Public Venues

- Secure control with simultaneous multiuser access
- Make it sing with embedded audio or external break out
- Remote monitoring of sources and system
- Large, creative edge-blends with mixed orientation and up to 56 outputs
- Doing LED Right! Pixel perfect set ups auaranteed
- Save power with eco mode display switch off capability.



Warwick University, UK

Education

- Manage four video walls from a single chassis
- Make it sing with embedded audio or external break out
- Secure control with simultaneous multiuser access
- Mix low latency AV, IP and broadcast sources in a single chassis
- Grab your audience with eye-catching transitions



"The video wall in the entrance area is our showcase for what is happening in the University. CORIOmaster has individual display, or combine all four into one massive, and

Warwick University, UK



Wall Editor

Our new UI design makes it easy to create layouts, map sources and animate transitions with incredible ease. With CORIOgrapher, build the wall you want, not just the one you can.

and softness.

Third Party Custom Control

Fade (via Black)

Create custom control environments for your CORIOmaster using our RESTful API or choose to take control using our app, plug-ins or button control panel.

Accessorize your CORIOmaster

Companion Products

Companion i roducts			
IP Encoding	H.264 encoding Magenta encoder 100		
KVM over IP	1080p KVM Pathfinder 500 Series	4K KVM Pathfinder 800 Series	
Wall Plate Transmitters	US form factor MG-WP-611-US	European form factor MG-WP-611-EU	
HDMI Extension	HDMI 2.0 Fiber Magenta MG-FB-61x	HDMI 2.0 Active Optical MG-AOC-66x series	HDMI over HDBaseT HD-One series
Pre-input Multi Windowing	IP, HDMI, HDBaseT & 3G-SDI CORIOview series	3G-SDI or HDMI/ DVI/VGA C2-6x04 series	HDMI or DisplayPort 1T-MV-8474
HDMI Matrix Solutions	Universal matrix CORIOmatrix	HDMI 2.0 4x4 MX-6544	HDMI 2.0 8x8 MX-6588
HDMI Distribution	Splitter MG-DA-612	4 Port DA MG-DA-614	8 Port DA MG-DA-618
Accessory Rack Mounting	Universal racking, powering & cooling ONErack	Single Unit Rack Mount	Double Unit Rack Mount
Hippotizer [™] Media Server	8K Playback at 60FPS. 4x DP 1.2 outputs. Tierra+	2x DVI, or HD-SDI + 1x DP 1.2 outputs. 4K playback. Karst+	1x DP 1.2 output, NDI capture and EDID Management. Nevis+

Need even more processing power?



CORIOmaster 2

The all new CORIOmaster2 is optimized for 4K60 environments and is 8K ready. Display up to 40 4K video sources with no visible latency and up to 56 outputs in 4RU.



Toll Free: 800-721-4044

sales@tvone.com

www.tvone.com