

# ***Audio solutions***

## ***Sound and Design***

### **Audio solutions**

*Perfect audio add-on solution for flat panels and video walls. Design audio solutions to integrate speakers visually less obtrusive in public areas.*



**Audipack®**

*It's great to have solutions...*

# Professional audio solutions



Wall mounted soundbar with 84" screen

## ***The perfect audio add-on for any screen of any size videowall***

Finding a fitting solution like this is normally quite a quest to find, but Audipack manufactures custom built soundbars and audio solutions to fit any screen, presentation assembly or videowall.

The main advantage is that these speaker solutions are custom built for any application and provides mounting features to any Audipack related product. No need to install more components than needed and save time by simply combining products that match each other.



## ***Think smart, be quick.***

No more unnecessary work with the Audipack soundbar with System 55 add-on. Use the Audipack soundbar as central hub for AV connectivity. Insert System 55 connections and control your media via the soundbar and save time and costs in labor and constructional installations. The S551 / S552 / S553 add-on provides a single, double or tripple mounting chassis in the speaker for System 55 Functionality.



## **Options**

- ▲ **Custom sizes in length and output**
- ▲ **Wall mounts**
- ▲ **Mounts to all Audipack presentation systems**
- ▲ **Stereo mini amplifier**



**SOUNDBAR FOR FLAT PANELS**



**LST PASSIVE SLIM STEREO SOUNDBAR**



Ref	LST-XXXXSB
Dimensions in mm	W (screen) x D 70 x H 90
Standard power	2 x 30 Watt RMS at 8 Ohm
Optional	2 x 60 Watt RMS at 8 Ohm
Frequency	120 Hz - 20 KHz
Connection	wire connect with internal connector
Colour	Black front & sides with aluminium body
<i>The LST soundbar is made to match the screen, XXXX refers to the screen width in mm.</i>	
<i>Use in combination with the LSH-80SW for an optimum sound experience.</i>	



*The LSH soundbars are manufactured for every brand, please refer to the Audipack website & price list for an updated product list.*

**LSH PASSIVE SLIM STEREO SOUNDBAR**



Ref	LSH-XXXXSB
Dimensions in mm	W (screen) x D 143 x H 147
Standard power	2 x 30 Watt RMS at 8 Ohm
Optional	2 x 60 Watt RMS at 8 Ohm
Frequency	70 Hz - 20 KHz
Connection	wire connect with internal connector
Colour	Black front & sides with aluminium body
<i>Although not needed, use in combination with the LSH-80SW for an optimum sound experience.</i>	
<i>The LSH soundbar is made to match the screen, XXXX refers to the screen width in mm.</i>	



*The LSH soundbars are manufactured for every brand, please refer to the Audipack website & price list for an updated product list.*

**AUDIPACK SYSTEMS 55 ADD-ON FOR SOUNDBARS**



<b>Ref.</b>	<b>LST-XXXXSB-S55</b>
	LST-XXXXSB-S551 With 1 System 55 feature
	LST-XXXXSB-S552 With 2 System 55 feature
	LST-XXXXSB-S553 With 3 System 55 feature
<b>Ref.</b>	<b>LSH-XXXXSB-S55</b>
	LSH-XXXXSB-S551 With 1 System55 feature
	LSH-XXXXSB-S552 With 2 System55 feature
	LSH-XXXXSB-S553 With 3 System55 feature
<i>Compatible with Crestron, Extron, Neets, Gira, Jung, Control4</i>	
<i>Equipment not included.</i>	

## COMPACT SOUNDBAR FOR VIDEO CONFERENCE APPLICATIONS



Ref	LSH-SB20	LSH-SB40
Dimensions in mm	W 422 x D 143 x H 147	W 422 x D 143 x H 147
Description	mono internal soundbar	stereo internal soundbar
Max. power	1 x 30 Watt RMS	2 x 20 Watt RMS
Frequency	70 Hz - 20 KHz	70 Hz - 20 KHz



This model fits the VCF-SL videoconference furniture line (page 177)

## LINE ARRAY SPEAKER SYSTEM (STACKABLE)



### To complement the experience...

Line array (column) speakers are ideal audio add-ons for video wall trolley's, video walls and led applications.

The AR speaker is customized to match the height of the screen. See page 54.

The AR speakers require a high output 3rd party external amplifier.




Ref.	LSH-XXXXAR (custom length version)
Dimensions in mm	W 147 x D 143 x H XXXX
Max power	240 Watt per unit at 8 Ohm
Frequency	200Hz - 20 KHz
Connections	Speakcon
Wall mounts	Included
Colour	Anodized aluminium with black or white speaker front



Ideal audio add-on for video wall trolley's and led applications. The AR speaker is customized to match the height of the screen.

## PROFILE SPEAKER SET (CUSTOM-BUILT)



Ref.	LSH-XXXXPR
Dimensions in mm	W 147 x D 143 x H XXXX (height screen)
Max power	2 x 30 Watt RMS at 8 Ohm
Connections	wire connect & banana plug
Colour	Anodized aluminium with black or white speaker front



The Profile speaker set is a vertical orientated speaker set made to match the height of larger screens and videowalls. Internal speaker technology is based on the LSH soundbar systems. The Profile speaker is installed on each side of the screen and is available in 2 x 30 Watt and 2 x 60 Watt. Custom powered versions on request.

**Check the Audipack website & price list for an updated product list.**

**AUDIO SOLUTIONS**

## **Unique audio solutions for public areas and boardrooms**

With the LSH-UFO, Audipack presents a new way to look at audio. The modern design of the UFO offers lots of possibilities for applications in public areas and boardrooms. The UFO is a ceiling suspended speaker with 4 internal audio elements. These elements radiate the sound in the direction of their own, so that a broad beam width is created in the area. The UFO is suspended from the ceiling by 4 stainless steel wires which are adjustable in length up to 4 meters.

The combination of the anodized aluminium construction with the black or white front, not only make it a delight to look at, but also to listen to. In combination with modern lighting technique, the UFO is a perfect solution above a conference table, in a restaurant or luxury shop. By using multiple UFO's, you have stereo sound where ever you walk in de room. With the optional 100 Volt transformer, the UFO's are also useful in 100 Volt installations.

<b>Ref.</b>	<b>LSH-UFO</b>
Dimensions in mm	W 706 x D 706 x H 146
Max. power	4 x 30 Watt RMS at 8 Ohm
Frequency	70 Hz - 20 KHz
Connection	wire connect with internal connector
Colour	Anodized aluminium with black or white speaker front
Ceiling mount	Included



## AUDIO SOLUTIONS

**ACCESSORIES****STEREO MINI AMPLIFIER**

For:  
LSH-UFO  
LSH Soundbar  
LSH Profile



**Ref.** 491026  
Max. power 2 x 20 watts @ 8 Ohm  
1x 40 watts @ 8 Ohm

**ACTIVE SUBWOOFER**

**Ref.** LSH-80SW  
Max. power 80 Watt  
Connection 2 x cinch, wire connect & banana plug  
Power supply 100-230 VAC

**MOUNTING SOLUTIONS**

**Ref.**  
Mounting interface



**Wall mount set  
LSH-SBWM (set of 2)**  
M6



**Wall mount set  
LST-SBWM (set of 2)**  
M6

**MOUNTING SOLUTIONS**

**Ref.**  
Mounting interface

**Table stand medium <1500 mm  
LSH-TSSBV4**  
400 mm, M6

**Table stand large > 1500 mm  
LSH-TSSBV6**  
600 mm, M6

**Table stand for LST soundbar  
LST-TSSB**

**MOUNTING SOLUTIONS**

**Ref.**  
Mounting interface  
Suitable for

**LSH-DWS-T**  
400-600 mm  
DWS-T100 & DWS-T150

**LSH-DWS-E**  
600 mm  
DWS-120E & DWS-160E/DFS-120E

**SOUNDBARS TO FLOOR STAND INTERFACE**

**Ref.**  
Interface for LSH soundbar  
**Ref.**  
Interface for LST soundbar

**LSH-FS700**  
400 & 600 mm  
**LST-FS700**  
400 & 600 mm

**LSH-FS800**  
400 & 600 mm  
**LST-FS800**  
400 & 600 mm

**LSH-FS900**  
400 & 600 mm  
**LST-FS900**  
400 & 600 mm

